

CERTIFICATE



Certificate

The polyurethane foam

SUPRA 5458 FH (turquoise)

from the product line HR-foams is flame-retardant and fulfils the requirements for fire behaviour as evidenced by the following applied test procedures:

- ✓ **Fire ID no. BKZ 5.2**
- ✓ **EN 13501-1: 2009, Euroklasse E**
The tested product Supra 5458 FH (turquoise) can be used as a free-standing wall or ceiling element or in direct contact with surfaces that have a reaction to fire classification of at least A1 or A2-s1, d0.
- ✓ **ÖNORM A 3800, part 1 / November 2005: B1** “hardly combustible”
Q1 “minimal smouldering”
Tr 1 “does not drop”

All tests and inspections were performed by independent testing institutions.

The original testing reports can be viewed at our premises by request.

Issue date of testing report BKZ 5.2:	17.08.2015
Period of validity:	5 years
Expiry date of testing report BKZ 5.2:	17.08.2020

Issue date of testing report ÖNORM A 3800, part 1:	03.12.2018
Period of validity:	2 years
Expiry date of testing report ÖNORM A 3800, part1:	16.01.2021

Issue date of testing report EN 13501-1:2009	04.03.2019
Period of validity:	until further notice

FoamPartner
Fritz Nauer AG
Oberwolfhauserstrasse 9
CH-8633 Wolfhausen
Switzerland

Wolfhausen, March 2019